## **GLOSSARY**

**Acre-foot**: The volume of water required to cover one acre of land (43,560 square feet) to a depth of one foot; equivalent to 325,850 gallons.

**Adjudicated water right**: A water right for which the defining parameters required by law have been determined and decreed by a court of law.

**Alluvium**: Soil material, such as sand, silt, or clay that has been deposited on land surface by water.

**Alteration**: A term usually used in reference to Idaho Code Title 42, Chapter 38, the Stream Protection Act. An alteration is any activity that obstructs, diminishes, destroys, alters, modifies, relocates, or changes the natural existing shape of the stream channel within or below the mean high water mark. It includes removal of material from the stream channel and emplacement of material or structures in or across the stream channel where the material or structure has the potential to affect flow in the channel as determined by the director of the Idaho Department of Water Resources.

**Anadromous**: Fish species, such as salmon, that are born in fresh water, spend most of their adult life in the ocean, and return to fresh water to reproduce.

**Appropriate or appropriation**: To obtain the right to divert and use the public waters of the state of Idaho.

**Beneficial use**: The uses of water that can legally be protected by water rights.

**Best management practices**: State-of-the-art land and water use practices that are efficient, effective, practical, economical, and environmentally sound. The goal of best management practices is to minimize soil erosion.

**IWRB**: Idaho Water Resource IWRB.

**Bull trout**: The common name for *Salvelinus confluentus*, a char native to the Pacific Northwest and Canada.

Clearwater Focus Watershed Project: The purpose of the Clearwater Focus Program is to coordinate projects to enhance and restore fish and wildlife habitats in the Clearwater River subbasin to meet the goals of the Northwest Power and Conservation Council's program. Idaho Soil Conservation Commission (ISCC) and the Nez Perce Tribal Watershed Division (one of 6 divisions within the NPT Fisheries Department) co-coordinate the Focus Program on behalf of Idaho State and the Nez Perce Tribe (NPT).

**Colluvium**: Soil material, rock fragments, or both, moved by creep, slide, or local wash and deposited the base of steep slopes.

Commercial Business: Non-manufacturing business.

Comprehensive State Water Plan: A plan adopted by the Idaho Water Resource IWRB and

South Fork Clearwater River CSWP

approved by the legislature pursuant to Section 42-1734A of the Idaho Code.

**Confluence**: The point at which one or more bodies of water flows into another.

**Conservation**: Actions taken to increase the efficiency of energy or water use, production, or distribution.

Consumptive use: The portion of the volume of water diverted under a water right that is transpired by vegetation, evaporated from soils, converted to non-recoverable water vapor, incorporated into products, or otherwise does not return to the waters of the state. Consumptive use does not include any water that falls as precipitation directly on the place of use unless it is captured, controlled, and used under an appurtenant water right [Idaho Code 42-202B(1)].

**Cubic feet per second (cfs)**: A unit of measure for the rate of discharge of water. One cubic foot per second is the rate of flow of one square foot of water that is flowing at mean velocity of one foot per second. It is equal to 448.8 gallons per minute, or 1.98 acre-foot per day.

**Decree**: A written decision by a court of law. Water right disputes are sometimes taken to court for resolution – the resultant description of the water rights in question are known as "decreed" water rights.

**Domestic water use:** The use of water as described in Idaho Code 42-111. Domestic use can be for home, livestock, and for any other purposes in connection with a home, including irrigation of up to one-half acre of land. The total use cannot exceed 13,000 gallons per day. Domestic use can also be for other small uses such as commercial or business establishments, if the total diversion rate does not exceed 0.04 cubic feet per second and a diversion volume of 2,500 gallons per day.

**Ecosystem**: A complex system composed of a community of flora and fauna, taking into account the chemical and physical environment with which the system is interrelated.

**Endangered species**: Any species or subspecies that is in danger of extinction throughout all or a significant portion of its range. The term is usually used in relation to the Endangered Species Act (see below).

**Endangered Species Act**: A federal statute that invokes protection for the species listed under the law (16 U.S.C. §1536). Animals and plants are designated as "endangered" or "threatened" by either the U.S. Fish and Wildlife Service or the U.S. National Marine Fisheries Service. There are other designations for "experimental populations." Listed populations receive the highest protection possible, with penalties for taking, harming, or injuring an individual or its environment. Special procedures apply to government projects in areas where listed species may be present.

**Evapotranspiration**: The loss of moisture by evaporation from land and water surfaces and transpiration from plants.

**Fishery enhancement structure**: A structure deliberately placed within the waterway to improve fish habitat.

**Floodplain**: Land that may be submerged by floodwaters. The floodplain built up by stream deposition. The 100-year floodplain identifies the land in the floodplain subject to a 1% or greater

chance of flooding in any given year.

Friable: Easily crumbled or pulverized.

**Geothermal**: The natural heat energy of the earth. In this plan, the term refers to water that is heated underground, and retains at least some of that heat at land surface or at the bottom of a well.

**Ground water**: All water under the surface of the ground whatever may be the geological structure in which it is standing or moving (Idaho Code 42-230).

**Habitat**: The place or type of natural site where a plant or animal normally lives and grows.

**Head**: The elevation difference between surfaces of water.

**High water mark**: The line that separates aquatic vegetation from terrestrial vegetation. The line which the water impresses on the soil by covering it for sufficient periods of time to deprive the soil of its terrestrial vegetation and destroy its value for commonly accepted agricultural purposes (Idaho Code 42-3802).

**Hydropower project**: Any development which uses a flow of water as a source of electrical or mechanical power, or which regulates the flow of water for the purpose of generating electrical or mechanical power. A hydropower project development includes all powerhouses, dams, water conduits, transmission lines, water impoundments, roads, and other appurtenant works and structures [Idaho Code 42-1731(5)].

**Idaho Batholith**: The body of intrusive igneous (volcanic) rock in central Idaho about 250 miles long and a maximum of 100 miles wide. It is approximately 100 million years old.

**Idaho Code**: Idaho laws, as written by the state legislature and approved by the governor.

**Idaho Water Resource IWRB**: A constitutional water agency within the Idaho Department of Water Resources consisting of eight appointed members pursuant to the provisions of Article 15, Section 7 of the Idaho Constitution (Idaho Code 42-1732).

**Industrial business:** A business that manufactures products.

**Irrigation**: The watering of cropland. Residential lawn and garden uses are not considered "irrigation" in the context of water rights issued by the state of Idaho.

**Kilowatt**: A unit of electric power equal to 1,000 watts, or about 0.746 horsepower.

**Listed Species**: Used in reference to animals and plants listed under the Endangered Species Act.

**Mean high water mark**: A water level corresponding to the natural or ordinary high water mark. The line which the water impresses on the soil by covering it for sufficient periods of time to deprive the soil of its terrestrial vegetation and destroy its value for commonly accepted agricultural purposes [Idaho Code 42-3802(h)].

**Megawatt**: A unit of electrical power equal to 1,000,000 watts, or about 746 horsepower.

**Minimum stream flow**: A water right that retains water in the stream or river for wildlife habitat, recreation, navigation, and aesthetic beauty. Idaho Code defines this term as the minimum flow of water in cubic feet per second of time, or minimum lake level in feet above mean sea level, required to protect fish and wildlife habitat, aquatic life, recreation, scenic beauty, navigation, transportation, or water quality of a waterway in the public interest [Idaho Code 42-1502(f)].

Municipal water use: Water for residential, commercial, or industrial use: for irrigation of parks and open spaces: or for related purposes. Municipal water use does not include use of water from geothermal sources for heating, which a municipal provider is entitled or obliged to supply to all those users within a service area, including those located outside the boundaries of a municipality served by a municipal provider [Idaho Code 42-202B(3)].

**Natural River:** A designation made by the Idaho Water Resource IWRB. It defines a waterway which possesses outstanding fish and wildlife, recreation, geologic, or aesthetic values; which is free of substantial existing human-made impoundments, dams, or other structures; and of which the riparian areas are largely undeveloped although accessible in places by trails and roads [Idaho Code 42-1731(7)].

**Public interest (local)**: In regards to water appropriations, this encompasses the affairs of the people of the area directly affected by the proposed use [Idaho Code 42-203A(5)].

Recreational dredge mining: Operation of vacuum or suction dredges and power sluice equipment in which the nozzle is 5 inches or less, and the equipment rated at 15 horsepower or less, and capable of moving 2 cubic yards per hour or less.

Recreational River: A designation made by the Idaho Water Resource IWRB. It defines a waterway which possesses outstanding fish and wildlife, recreation, geologic or aesthetic values, and which might include some human-made development within the waterway or within the riparian area of the waterway [Idaho Code 42-1731(9)].

**Rental pool**: A market for exchange of stored water operated by a local committee. The committee is appointed by the Idaho Water Resource Board.

**Riparian area**: The area associated with aquatic (stream, river, or lake) habitats. The term is defined in Idaho Code for purposes associated with the Idaho Department of Water Resources and the Idaho Water Resource Board, as the area within one hundred (100) feet of the mean high water mark of a water way [Idaho Code 42-1731(10)].

**River basin**: The total drainage or catchment area of a stream (i.e., the watershed).

**River corridor**: The area of varying width along both sides of a river or stream.

River reach: A continuous section of a river from one point to another; a stretch of the river.

Scrub vegetation: Vegetation dominated by shrubs, typically found at elevations below montane (mountain) vegetation.

**State agency**: Any IWRB, commission, department, or executive agency of the state of Idaho.

**Streambed**: A natural water course of perceptible extent with a definite bed and banks, which confines and conducts the water of a waterway that lies below and between the ordinary high water marks on either side of that waterway [Idaho Code 42-1731(12)].

**Threatened species**: A species of plant or animal that is likely to become endangered within the foreseeable future throughout all or a significant portion of its range, as determined by the U.S. Fish and Wildlife Service or the National Marine Fisheries Service.

**Total Maximum Daily Load (TMDL)**: The sum of all pollutants in a waterway. Pollutant levels established through TMDL standards must be at or below the level that the water body can assimilate without violating the state's water quality standards.

**Unappropriated water**: Water that is not subject to diversion and use under existing water rights [Idaho Code 42-1502(g)].

**Water right**: The legal right, however acquired, to the use of water for beneficial purposes [Idaho Code 42-230(e)].

Water right application: An application filed by any person, association, or corporation with the Idaho Department of Water Resources, intending to acquire the right to the beneficial use of the waters of any natural streams, springs, or seepage waters, lakes, or ground water, or other public waters of the state of Idaho [Idaho Code 42-202].

**Waterway**: A river, stream, creek, lake, or spring, or a portion thereof.

**Water table**: The highest part of the soil or underlying rock material that is wholly saturated with water. On some places an upper, or perched, water table may be separated from a lower one by a dry zone.

**Wetlands**: Transitional lands between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water.

## **REFERENCES**

- Alt, D. and Donald W. Hyndman. 1989. *Roadside Geology of Idaho*. Mountain Press Publishing Company: Missoula, Montana.
- Amaral, Grant. 1990. <u>Idaho The Whitewater State: A Guidebook</u>. BookCrafters, Chelsea, MI.
- Author unknown. 2000. City of Cottonwood Comprehensive Plan. 29pp
- Barrett, Larry. Personal Communication. Fisheries biologist, Idaho Department of Fish and Game, Lewiston, ID. 16 Oct. 2002.
- Bahr, G., R. Carlson, and R. Carlson. 2002. Ground water quality of southern Clearwater Plateau Volcanic Aquifer. Idaho Department of Agriculture Technical Results Summary #9.
- Bates, T. 2002. Personal communication. Idaho Department of Lands, Kamiah, ID.
- Beamish, R. 1980. Adult biology of the river lamprey (*Lampetra ayresi*) and the Pacific lamprey (*Lampetra tridentata*) from the Pacific coast of Canada. Canadian Journal of Fisheries and Aquatic Sciences 37: 1906-1923.
- Behnke, R. 1992. Native trout of western North America. Monograph of the native trouts. Monograph No. 6(Bethesda, MD): American Fisheries Society. 275 p.
- Behnke, R. and R. Wallace. 1986. A systematic review of the cutthroat trout, *Salmo Clarki*, a polytypic species. Pages 1-27 in J.S. Griffith (editor). The ecology and management of interior stocks of cutthroat trout. Special publication of the Western Division, American Fisheries Society.
- Bentz, B. 1998. A Reconnaissance of Nitrite/Nitrate in Camas Prairie Ground Water Volume I, Lewis and Idaho County, Idaho. Idaho Division of Environmental Quality, Lewiston Regional Office. 42p.
- Bentz, B. 1998. Camas Prairie Well Site Records Volume II, Lewis and Idaho County, Idaho. Idaho Division of Environmental Quality, Lewiston Regional Office.
- Bransford, S. 2001. *Newsome Creek Watershed Improvement Project (Draft)*. Nez Perce Tribe and Nez Perce NF. Grangeville, ID.
- Castelin, P. 1976. A reconnaissance of the water resources of the Clearwater Plateau, Nez Perce, Lewis, and northern Idaho counties, Idaho. Idaho Department of Water Resources, Water Information Bulletin No. 41.
- City Council of Kooskia. 2002. Comprehensive Plan City Council of Kooskia, Idaho.
- Clark. W.H. 1998. 1998 Idaho water quality status report. Division of Environmental Quality, Water Quality and Remediation Division.
- Clayton J., and W. Megahan. 1996. Natural erosion rates and their prediction in the Idaho South Fork Clearwater River CSWP 100

- Batholith. Journal of the American Water Resources Association, Water Resources Bulletin 33: 689-703.
- Cochnauer, T and C. Claire. 2001. Evaluate status of the Pacific Lamprey in the Clearwater River drainage Idaho. Idaho Department of Fish and Game Annual Report to Bonneville Power Administration, Contract No. 00000090, Project No. 200002800. Idaho Department of Fish and Game, Lewiston, Idaho. 28pp.
- Cochnauer, T., E. Schriever, D. Schiff, J. Brostrom and P. Murphy. 2001. South Fork Clearwater River bull trout investigations. Report to the Nez Perce NF and Bureau of Land Management Idaho Department of Fish and Game, Lewiston, Idaho.
- Church, J. 2002. 2002 Idaho Economic Forecast for the State of Idaho (2001 2025). Prepared by John Church, Idaho Economics, Boise, Idaho.
- Clearwater River Brink and a Half Club. 1950s? The Golden Road to Adventure 3<sup>rd</sup> ed. 53p.
- Close, D., M. Fitzpatrick and H. Li. 2002. The ecological and cultural importance of a species at risk of extinction, Pacific lamprey. Fisheries Vol. 27 (7): 19-25.
- Crenshaw, J. 2002. Personal communication. Regional Wildlife Manager, Idaho Department of Fish and Game.
- Crockett, J. 2002. Personal communication. Idaho Department of Water Resources, Boise, Id.
- Doman, Laurie. Personal communication. Recreation and trails, Nez Perce NF, Supervisor's Office, Grangeville, ID. 11 Oct. 2002 and 22 Oct. 2002.
- Drake, T and R. Mattrass. 1980, amended 1995. The Grangeville Comprehensive Plan.
- Ecklund, K. 1997. Personal communication. Idaho Department of Water Resources, Boise, ID.
- Ecovista. 2002. Final Draft Clearwater Subbasin Management Plan. Prepared by Ecovista for Nez Perce Watershed Division. In cooperation with Clearwater Policy Advisory Committee (Funded by Northwest Power Planning Council). On CD.
- Entranco. 2003. City of Grangeville Water System Engineering Study. Prepared by Entranco for City of Grangeville. 3050 North Lakeharbor Drive, Suite 200 Boise, Idaho 83703.
- Fraley, J. and B. Shepard. 1989. Life history, ecology, and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. Northwest Science 63(4):133-143.
- Gordon, N.D., T.A. McMahon, and B.L. Finlayson. 1992. Stream hydrology, an introduction for ecologists. Wiley Inc.: New York, NY.
- Graham WG, Campbell LJ. 1981. Groundwater Resources of Idaho. Boise: Idaho Department of Water Resources. 100p.

101

- Griffith J. and D. Andrews. 1981. Effects of a small recreational dredge on fishes and aquatic invertebrates in Idaho streams. North American Journal of Fisheries Management 1:21-28.
- GWQC (Ground Water Quality Council). 1996. Idaho Ground Water Quality Plan. Idaho Department of Health and Welfare Division of Environmental Quality, Idaho Department of Water Resources, and Idaho Department of Agriculture. 176 pp.
- Grussing, LuVerne. Personal communication. Outdoor recreation planner, Bureau of Land Management, Cottonwood, ID. 15 Oct. 2002.
- Haaland, J. 2002. Personal communication. Bureau of Land Management.
- Helfield, J.M. and R.J. Naiman. 1998. Fertilization of Riparian Vegetation by Spawning Salmon: Effects on Tree Growth and Implications for Long-Term Productivity. Ecology Manuscript, in Press. Seattle, Washington.
- Idaho County Free Press. Summer 2002. Idaho County Visitor's Guide. Grangeville, ID.
- Idaho Department of Commerce. 2001. County Profiles of Idaho. IDC, Economic Development Division. Boise, Idaho.
- IDEQ. 1996. Idaho risk-based corrective action guidance document for petroleum releases. Idaho Division of Environmental Quality, Remediation Bureau, August 1996.
- IDEQ. 1998.1998 303(d) List. Idaho Division of Environmental Quality. [EPA additions to the list in 2000 available at:
  <a href="http://www2.state.id.us/deq/water/basins/303d\_additions\_list.pdf">http://www2.state.id.us/deq/water/basins/303d\_additions\_list.pdf</a> (accessed 10/30/02)].
- IDEQ. 1999. Idaho Source Water Assessment Plan. Idaho Division of Environmental Quality, Ground Water Program. October 1999.
- IDEQ, Nez Perce Tribe, and U.S. Environmental Protection Agency. 2000. Cottonwood Creek Total Maximum Daily Load TMDL. Prepared in cooperation with the Cottonwood Creek Watershed Advisory Group, IDEQ Lewiston Regional Office.
- IDEQ. 2001. State of the environment. Idaho Department of Environmental Quality.
- IDEQ. 2002. DEQ's final nitrate priority area ranking. (<a href="http://www.deq.state.id.us/water/gw/nitrate.FinalRank.pdf">http://www.deq.state.id.us/water/gw/nitrate.FinalRank.pdf</a> (accessed December 6, 2002).
- IDEQ, Nez Perce Tribe, and U.S. Environmental Protection Agency. 2001. Cottonwood Creek TMDL Implementation Plan. Prepared in cooperation with the Cottonwood Creek Watershed Advisory Group, IDEQ Lewiston Regional Office.
- IDEQ, Nez Perce Tribe, and U.S. Environmental Protection Agency. 2003. South Fork Clearwater River Subbasin Assessment and TMDLs. Public Comment Draft –

- May 2003. Prepared in cooperation with the South Fork Clearwater River Watershed Advisory Group, IDEQ Lewiston Regional Office.
- IDEQ. 2002. DEQ's final nitrate priority area ranking.

  (<a href="http://www.deq.state.id.us/water/gw/nitrate.FinalRank.pdf">http://www.deq.state.id.us/water/gw/nitrate.FinalRank.pdf</a> (accessed December 6, 2002).
- Idaho Department of Fish and Game. 2001. Fisheries Management Plan 2001-2006. Boise, Idaho.
- Idaho Department of Lands. 1986. <u>Navigable Waters in Idaho</u>. Operations Memorandum Number 1700. Boise, Idaho.
- Idaho Department of Water Resources. 1999. Comprehensive State Water Plan Payette River Basin. IDWR, Boise, Idaho.
- Idaho Department of Water Resources. 2002. Recreational Dredging Application.
- ISWCD (Idaho Soil and Water Conservation District). 2001. Cottonwood Creek state agricultural water quality project. Final planning report and environmental assessment, Idaho County, Idaho.
- Idaho State. 1996. State of Idaho Bull Trout Conservation Plan. Office of the Governor, Boise, Idaho.
- Kiefer, R and J. Lockhart. 1995. Intensive evaluation and monitoring of chinook salmon and steelhead production Crooked River and Upper Salmon River sites. Annual Progress Report to Bonneville Power Administration, Contract No. 00005852, Project No. 199107300. 64p
- Kimball Engineering. 2000. City of Cottonwood Water System Study. Prepared by Kimball Engineering for the City of Cottonwood. 114 Thain Road Lewiston, Idaho 83501.
- Landeen, D. and Allen Pinkham. 1999. *Salmon and His People Fish and Fishing in the Nez Perce Culture*. Nez Perce Tribe, Confluence Press: Lewiston ID.
- LeFranc, M., M. Moss, K. Patnde, W. Sugg. 1987. Grizzly Bear Compendium sponsored by the Interagency Grizzly Bear Committee 1987. 540pp.
- Maret, T.R., D.E. MacCoy, K.D. Skinner, S.E. Moore, and I. O'Dell. 2001. Evaluation of macroinvertebrate assemblages in Idaho rivers using multimetric and multivariate techniques, 1996-98. USGS Water Resources Investigations Report 01-4145, Boise, ID.
- McGee, M. 2002. Personal communication. Nez Perce NF, Timber Harvest Officer, Grangeville, ID.
- Mech, L.D. (1970). The wolf: the Ecology and Behavior of an Endangered Species. Natural History Press. Doubleday, NY. 389pp.

- Megahan, W. and G. Ketcheson. 1996. Predicting downslope travel of granitic sediment from the forest roads in Idaho. Journal of the American Water Resources Association, Water Resources Bulletin 32: 371-382.
- Merigliano, M. 1996. Ecology and Management of the South Fork Snake River Cottonwood Forest. School of Forestry, University of Montana, Missoula, Montana.
- Montgomery, D.R. 1994. What does channel stability mean. Proceedings of the International workshop of the ecology and management of aquatic-terrestrial ecotones. University of Washington, Seattle, WA.
- Moser, M., Ocker P., L. Stuehrenberg and T. Bjornn. 2002. Passage efficiency of adult Pacific lampreys at hydropower dams on the Lower Columbia River, USA. Transactions of the American Fisheries Society 131:956-965.
- Myler, C. 2002. Tributaries of Cottonwood Creek monitoring report 2002. Idaho Association of Soil Conservation Districts, Technical Results Summary CDM-TCC-02.
- Neely, K.W. 2002. Nitrate results from the Statewide Program, 1991-2000. Idaho Department of Water Resources.

  (http://www.idwr.state.id.us/planpol/techserv/gwmon/Nitrate\_Results\_From\_The \_Statewide\_Program.pdf) (Accessed December 2, 2002).
- Neely, K.W., and J.K. Crockett. 1998. Ground water quality characterization and trend analysis for the Treasure Valley shallow and deep hydrologic subareas. Idaho Department of Water Resources, Water Information Bulletin No. 50, Part 3. 80 pp.
- Pacific Northwest River Basins Commission-Technical Staff. 1970. Columbia-North Pacific Region Comprehensive Framework Study, Water Resources. Volume I (subregions 1-6, 6 includes SFCR). Vancouver, WA. 543p.
- Pacific Northwest River Basins Commission-Technical Staff. 1971. Columbia-North Pacific Region Comprehensive Framework Study, Municipal & Industrial Water Supply. Volume I (subregions 1-6, 6 includes SFCR). Vancouver, WA. 257p.
- Packard, J. and L.D. Mech. 1980. Population regulation of wolves. In: Cohen, M.N., R.S. Malpass, and H.G. Klein. Biosocial mechanisms of population regulation. Yale University Press, New Haven, CT. pp.135-150.
- Parliman, D.J. 2002. Analysis of nitrate (NO<sub>3</sub>-N) concentration trends in 25 Ground Water Quality Management Areas, Idaho, 1961- 2001. USGS, Water Resource Investigations Report WRIR 02-4056 (http://idaho.usgs.gov/PDF/wri024056/index.html).
- Petts, G., and P. Calow (eds.). 1996. River flows and channel forms: selected excerpts from The Rivers Handbook. Blackwell Science: Cambridge, MA.
- Pratt, K. 1984. Habitat selection and species interactions of juvenile westslope cutthroat trout (*Salmo clarki lewisi*) and bull trout (*Salvelinus confluentus*) in the upper Flathead River

- Basin. University of Idaho, Moscow, Idaho. M. S. Thesis.
- Progressive Engineering Group, Incorporated. 2002. City of Kooskia Water Study. Prepared by Progressive Engineering Group, Inc. for the City of Kooskia. 1208 Idaho Street Lewiston, Idaho 83501.
- Ralston, D., K. Sprenke, w. Dansart and W. Rember. 1993. Evaluation of the ground water resources in the vicinity of Grangeville, Idaho. Prepared for the City of Grangeville. Moscow, Idaho.
- Ralston, D. 2003. Personal communication. Moscow, ID.
- Rosgen, D.L., H.L. Silvey, and J.P. Potyondy. 1986. The use of channel maintenance flow concepts in the Forest Service. Pp. 19-26 IN: American Institute of Hydrology, Hydrological Science and Technology: Short Papers, Volume 2.
- Sherman, S. 2003. Personal communication. Idaho Department of Water Resources, Boise, Idaho.
- Siddall, P. 1992. South Fork Clearwater RiverHabitat Enhancement Nez Perce NF. Project No. 84-5 Contract No. DE-AI79-84BP16475 prepared for Bonneville Power Administration, Portland, Oregon.
- Swanberg, T. 1997. Movements of and habitat use by fluvial bull trout in the Blackfoot River, Montana. Transactions of the American Fisheries Society 126: 735-746.
- State of Idaho Outfitters and Guides Licensing IWRB. 2001. Licensed outfitter directory and activity listing. Boise, Idaho. 74pp.
- Thomas, V. 1985. Experimentally determined impacts of a small, suction gold dredge on a Montana stream. North American Journal of Fisheries Management 5:440-488.
- Thomson, Francis and Ballard, Samuel. 1924. Geology and Gold Resources of North Central Idaho. Idaho Bureau of Mines and Geology, University of Idaho, Moscow, ID.
- Thurow, R. 1997. Habitat utilization and diel behavior of juvenile bull trout (*Salvelinus confluentus*) at the onset of winter. Ecology of Freshwater Fish (Copenhagen) Vol. 6:(1) 1-7.
- U.S. Department of Agriculture Natural Resource Conservation Service. 1995. Soil Survey Geographic Database. National Cartographic and GIS Center, PO Box 6567, Fort Worth, TX 76115-0567 <a href="http://www.ftw.nrcs.usda.gov/pdf/ssurgo\_db.pdf">http://www.ftw.nrcs.usda.gov/pdf/ssurgo\_db.pdf</a>
- U. S. EPA. 2001. Source water protection: Best management practices and other measures for protecting drinking water supplies. Environmental Protection Agency, Drinking Water Academy, Training Course, August 2001, Boise, Idaho.
- U.S. Fish and Wildlife Service. 1987. Northern Rocky Mountain Wolf Recovery Plan. Denver, CO. 119pp.

- U.S. Fish and Wildlife Service. 2000. Grizzly Bear Recovery in the Bitterroot Ecosystem. Final Environmental Impact Statement. US Department Of the Interior, Fish and Wildlife Service.
- U.S. Fish and Wildlife Service. 2003.
- U.S. Fish and Wildlife Service, Nez Perce Tribe, National Park Service, and USDA Wildlife Services. 2002. Rocky Mountain Wolf Recovery 2001 Annual Report. T. Meier, ed. USFWS, Ecological Services, 100 N Park, Suite 320, Helena MT. 43pp.
- U. S. Forest Service. 1974. National Forest Landscape Management, Volume 2, Chapter1-The Visual Management System. Agriculture Handbook No. 462. U.S. Government Printing Office: Washington, D.C.
- U.S. Forest Service. 1987. Nez Perce NF Plan, Final Environmental Impact Statement.
- US Forest Service Nez Perce NF. 1987. Nez Perce NF Plan.
- US Forest Service, Clearwater National Forest. 1996. Clearwater National Forest Monitoring and Evaluation Report; 101p.
- U.S. Forest Service. 1997. United States' Expert Report Disclosing Methodologies Utilized for Quantification of Multiple-Use Sustained-Yield Act Claims (Unpublished manuscript). 157 pp.
- USFS. 1997. Southfork Clearwater Subbasin Landscape Assessment. Preliminary Report. Nez Perce NF, Grangeville, Idaho. (Accessed 10/03/02 at http://www.fs.fed.us/r1/nezperce/pua\_sf\_slw/narrative)
- U.S. Forest Service. 1998. Nez Perce NF, <u>South Fork Clearwater River Landscape Assessment</u>, Vol. I and II. Idaho County, ID.
- US Forest Service, Nez Perce NF. 1999. South Fork Clearwater River Biological Assessment; 850p.
- US Forest Service, Nez Perce NF. 2000. El Luky Duk Placer Claim. Draft EIS.
- USGS in cooperation with IDEQ. 2002. Analysis of Nitrate (NO3-N) Concentration Trends in 25 ground Water-Quality Management Areas, Idaho, 1961-2002.
- Van Steeter, M.M, R.L. Mahler, and L.L. Mink. 1998. Groundwater in Idaho. University of Idaho Cooperative Extension System, Water Quality for Idaho Current Information Series No. 900. (accessed July 23, 2001 <a href="http://www.uidaho.edu/wq/wqpubs/cis900.html">http://www.uidaho.edu/wq/wqpubs/cis900.html</a>).
- Waples, R., R. Jones, B. Beckman and G. Swan. 1991. Status Review for Snake River Fall chinook Salmon. U. S. Dep. Commerce, NOAA Tech. Memo. NMFS F/NWC-201. 73p.
- Warnick, C., J. Filler and P. Vance. 1981. Potential hydroelectric energy resources of Idaho. A contract report to IDWR. Idaho Water and Energy Resources Research Institute,

- University of Idaho, Moscow, ID.
- Watson, G. and T. Hilman. 1997. Factors affecting the distribution and abundance of bull trout: and investigation at hierarchical scales. North American Journal of Fisheries Management 17: 237-252.
- Washington State University Center for Environmental Education. 2001 Clearwater Subbasin Assessment; Terrestrial and Aquatic. Prepared for Clearwater Focus Program, Nez Perce Tribe (Funded by Northwest Power Planning Council). On CD 650p.
- Willson, M.F. and K.C. Halupka. (1995). Anadromous fish as keystone species in vertebrate communities. Conservation Biology 9:489-497.
- Wilson, Eric. Personal Communication. Idaho Department of Lands, Boise, ID. Dec. 6, 2002.

## **APPENDIX A**

## South Fork Clearwater River Watershed Advisory Group

Bob RylaarsdamTroy BieseckerRanching/livestockRoad DistrictsGrangevilleKooskia

Kelly Frazier Dick Wilhite
Water Treatment/City of Kooskia Timber Industry
Kooskia Elk City

JoAnn Mider Lynn Laughy
Family Farmers Outfitter/Guide
Kamiah, Kooskia

Rudy CarterEd StuivengaNez perce TribeAgricultureGrangevilleGrangeville

Ron Andrews Borg Hendrickson
Tourism/Travel Recreation
Kooskia Kooskia

Phil Jahn Joy Lee Federal Land Agencies At Large

Grangeville Kooskia, ID 83539

Bonnie Schonefeld Alice Mattson
Conservation At Large
Kooskia Kooskia

Pat Holmberg Bob Klecha

Recreational and Commercial Mining Waste Water Utilities

Grangeville Grangeville